



TREATMENT CONSENT FORM

The cryolipolysis procedure is a non-invasive body contouring treatment that uses a vacuum applicator to draw in tissue and deliver controlled cooling at the surface of the skin. The procedure is suitable for the spot reduction of fat. It is not a weight-loss solution. Clinical studies have shown the results to be proven, noticeable and lasting. However, as with most procedures, visible results may vary from person to person. Initial: _____

What you can expect:

- > It is common for the treated area to feel bloated and look swollen in the first few days and weeks after cryolipolysis procedure. Initial: _____
- > The suction pressure may cause sensations of deep pulling, tugging and pinching. You may experience intense stinging, tingling, aching or cramping as the treatment begins. These sensations generally subside as the area becomes numb. Initial: _____
- > After the procedure, the treated area may look or feel stiff and transient blanching may occur (temporary whitening of the skin). You may feel a sense of nausea or dizziness as your body naturally warms and sensation returns to the treatment area. These are normal reactions and typically subside within minutes. Initial: _____
- > Bruising, swelling and tenderness can occur in the treated area and may appear red for a few hours after the applicator is removed. Initial: _____
- > There may be a dulling of sensation in the treated area that can last several weeks after the procedure. Other side effects may include deep itching, tingling, numbness, tenderness, pain, strong cramping and muscle spasms. Initial: _____
- > Some clients may experience a delayed onset of the previously mentioned occurrences. Contact your cryolipolysis provider immediately if any unusual side effects occur or if symptoms worsen over time. Initial: _____
- > You may start to see results as early as three weeks after the cryolipolysis procedure. The most dramatic results will be visible after one to three months. Your body will continue to naturally process the dead fat cells from your body for approximately four months after the procedure. Initial: _____
- > In rare cases, people have experienced vasovagal symptoms during the treatment, and reported freeze burn, darker skin colour, hardness, discrete nodules or enlargement of the treatment area. Surgical intervention may be required to correct the enlargement. I understand that these and other unknown side effects may also occur. Initial: _____



Do you have any of the following?

- | | |
|--|----------|
| > Cryoglobulinemia or paroxysmal cold hemoglobinuria | Yes / No |
| > Known sensitivity to cold such as cold urticaria or Raynaud's disease | Yes / No |
| > Impaired peripheral circulation in the area to be treated | Yes / No |
| > Neuropathic disorders such as post-herpetic neuralgia or diabetic neuropathy | Yes / No |
| > Impaired skin sensation | Yes / No |
| > Open or infected wounds | Yes / No |
| > Bleeding disorders or concomitant use of blood thinners | Yes / No |
| > Recent surgery or scar tissue in the area to be treated | Yes / No |
| > A hernia or history of hernia in the area to be treated | Yes / No |
| > Skin conditions such as eczema, dermatitis, or rashes | Yes / No |
| > Pregnancy or lactation | Yes / No |
| > Active implanted device such as pacemaker or defibrillator | Yes / No |

Pictures may be obtained for clinical records. If pictures are used for education or marketing purposes, all identifying marks will be cropped or removed. Initial: _____

The benefits and potential side effects associated with the cryolipolysis procedure have been explained to me in detail. I have read the information above and give my consent to be treated with cryolipolysis.

Print Name

Signature

Date



The Woodlands-Portofino Shopping
Center
19075 I-45 Suite #250, Suite 206
Shenandoah, Tx 77385
(936) 581.2268

TREATMENT CONSENT FORM

The cryolipolysis procedure is a non-invasive body contouring treatment that uses a vacuum applicator to draw in tissue and deliver controlled cooling at the surface of the skin. The procedure is suitable for the spot reduction of fat. It is not a weight-loss solution. Clinical studies have shown the results to be proven, noticeable and lasting. However, as with most procedures, visible results may vary from person to person. Initial: _____

What you can expect:

- > It is common for the treated area to feel bloated and look swollen in the first few days and weeks after cryolipolysis procedure. Initial: _____
- > The suction pressure may cause sensations of deep pulling, tugging and pinching. You may experience intense stinging, tingling, aching or cramping as the treatment begins. These sensations generally subside as the area becomes numb. Initial: _____
- > After the procedure, the treated area may look or feel stiff and transient blanching may occur (temporary whitening of the skin). You may feel a sense of nausea or dizziness as your body naturally warms and sensation returns to the treatment area. These are normal reactions and typically subside within minutes. Initial: _____
- > Bruising, swelling and tenderness can occur in the treated area and may appear red for a few hours after the applicator is removed. Initial: _____
- > There may be a dulling of sensation in the treated area that can last several weeks after the procedure. Other side effects may include deep itching, tingling, numbness, tenderness, pain, strong cramping and muscle spasms. Initial: _____
- > Some clients may experience a delayed onset of the previously mentioned occurrences. Contact your cryolipolysis provider immediately if any unusual side effects occur or if symptoms worsen over time. Initial: _____
- > You may start to see results as early as three weeks after the cryolipolysis procedure. The most dramatic results will be visible after one to three months. Your body will continue to naturally process the dead fat cells from your body for approximately four months after the procedure. Initial: _____
- > In rare cases, people have experienced vasovagal symptoms during the treatment, and reported freeze burn, darker skin colour, hardness, discrete nodules or enlargement of the treatment area. Surgical intervention may be required to correct the enlargement. I understand that these and other unknown side effects may also occur. Initial: _____



Do you have any of the following?

- | | |
|--|----------|
| > Cryoglobulinemia or paroxysmal cold hemoglobinuria | Yes / No |
| > Known sensitivity to cold such as cold urticaria or Raynaud's disease | Yes / No |
| > Impaired peripheral circulation in the area to be treated | Yes / No |
| > Neuropathic disorders such as post-herpetic neuralgia or diabetic neuropathy | Yes / No |
| > Impaired skin sensation | Yes / No |
| > Open or infected wounds | Yes / No |
| > Bleeding disorders or concomitant use of blood thinners | Yes / No |
| > Recent surgery or scar tissue in the area to be treated | Yes / No |
| > A hernia or history of hernia in the area to be treated | Yes / No |
| > Skin conditions such as eczema, dermatitis, or rashes | Yes / No |
| > Pregnancy or lactation | Yes / No |
| > Active implanted device such as pacemaker or defibrillator | Yes / No |

Pictures may be obtained for clinical records. If pictures are used for education or marketing purposes, all identifying marks will be cropped or removed. Initial: _____

The benefits and potential side effects associated with the cryolipolysis procedure have been explained to me in detail. I have read the information above and give my consent to be treated with cryolipolysis.

Print Name

Signature

Date



The Woodlands-Portofino Shopping Center
19075 I-45 Suite #250, Suite 206
Shenandoah, Tx 77385
(936) 581.2268

TREATMENT CONSENT FORM

The cryolipolysis procedure is a non-invasive body contouring treatment that uses a vacuum applicator to draw in tissue and deliver controlled cooling at the surface of the skin. The procedure is suitable for the spot reduction of fat. It is not a weight-loss solution. Clinical studies have shown the results to be proven, noticeable and lasting. However, as with most procedures, visible results may vary from person to person. Initial: _____

What you can expect:

- > It is common for the treated area to feel bloated and look swollen in the first few days and weeks after cryolipolysis procedure. Initial: _____
- > The suction pressure may cause sensations of deep pulling, tugging and pinching. You may experience intense stinging, tingling, aching or cramping as the treatment begins. These sensations generally subside as the area becomes numb. Initial: _____
- > After the procedure, the treated area may look or feel stiff and transient blanching may occur (temporary whitening of the skin). You may feel a sense of nausea or dizziness as your body naturally warms and sensation returns to the treatment area. These are normal reactions and typically subside within minutes. Initial: _____
- > Bruising, swelling and tenderness can occur in the treated area and may appear red for a few hours after the applicator is removed. Initial: _____
- > There may be a dulling of sensation in the treated area that can last several weeks after the procedure. Other side effects may include deep itching, tingling, numbness, tenderness, pain, strong cramping and muscle spasms. Initial: _____
- > Some clients may experience a delayed onset of the previously mentioned occurrences. Contact your cryolipolysis provider immediately if any unusual side effects occur or if symptoms worsen over time. Initial: _____
- > You may start to see results as early as three weeks after the cryolipolysis procedure. The most dramatic results will be visible after one to three months. Your body will continue to naturally process the dead fat cells from your body for approximately four months after the procedure. Initial: _____
- > In rare cases, people have experienced vasovagal symptoms during the treatment, and reported freeze burn, darker skin colour, hardness, discrete nodules or enlargement of the treatment area. Surgical intervention may be required to correct the enlargement. I understand that these and other unknown side effects may also occur. Initial: _____